JuliaCon Proceedings in Quarto

Patrick Altmeyer¹

¹Delft University of Technology

ABSTRACT

This document is a template demonstrating the juliacon-proceedings format. It is a standard Quarto document composed of Markdown, LaTeX and code chunks. It is rendered to PDF and HTML. The PDF is rendered using the juliacon-proceedings-pdf format, which is based on the juliacon-proceedings LaTeX class. The HTML is rendered using the juliacon-proceedings-html format, which is based on the juliacon-proceedings HTML template.

Keywords

Template, Demo, Quarto, JuliaCon

1. Introduction

This is a template for writing a JuliaCon Proceedings article in Quarto. This is a proof-of-concept for how we could use Quarto for JuliaCon proceedings. For current submissions, please ignore this repo and follow the official instructions here.

1.1 What is Quarto?

Quarto makes it easy to write reproducible documents that can be rendered to PDF, HTML, Word and more. It is based on Markdown, which is easy to learn and write. It also supports LaTeX, which is useful for more advanced formatting. As this extension demonstrates, Quarto is also very flexible and can be extended with custom templates and styles.

1.2 Why Quarto?

By embracing Quarto, JuliaCon Proceedings can set an example for how to write reproducible documents. We would not only make it easier for authors to write their submissions but also open the door for more advanced features such as interactive figures and executable code blocks in HTML documents.

2. About this template

This template is based on the existing JuliaCon Proceedings LaTeX template. The rendered versions can be found here: pdf, html.

2.1 Basic Usage

To use the Quarto extension that provides this template, you can create a new project as follows:

Alternatively, you can add the extension to an existing project: quarto add pat-alt/quarto-juliacon-proceedings Then, add the format to your document options:

```
1 format:
```

2 juliacon-proceedings-pdf: default

3. Code

There are various options to present code using this template. We could leverage Quarto's existing support for executable, crossreferenceable code. Alternatively, we could use the existing lstlisting environment for Julia code.

3.1 Executable Listings (version \geq 1.4.0)

Relying on Quarto's support for executable listings is the most flexible option as it allows us to use all of Quarto's features. It comes with numerous advantages:

- 1. We can use the same code chunks for both PDF and HTML output (and more) with consistent formatting.
- 2. Using executable code ensures that things stay up-to-date and potential errors in the code are identified early: as you render your document, the code will be executed and the output will be inserted into the document.
- 3. The output of executable code can be cross-referenced. For example, we can reference a figure that is generated by a code chunk and the reference will be updated automatically when the figure number changes.
- 4. Code chunks can also be hidden. In HTML, there is additional support for code folding.
- 5. The code itself can be cross-referenced.

From the Quarto Docs:

using Plots

To create cross-referenceable code listings from executable code blocks, use lst-label and lst-cap. — Quarto Docs

For example, the following code block will be labelled as lst-1 and calling @lst-1 will render as ?@lst-1. The figure it generates will be labelled as fig-1 and calling @fig-1 will render as Figure 1.

quarto use template pat-alt/quarto-juliacon-proceedings x = -3.0:0.01:3.0

= rand(length(x))

v



i Current Limitations

- -Support for executable listings is only available in the latest version of Quarto (version $\geq 1.4.0$).
- —It is currently not clear how to support custom formatting, for example through the existing jlcode.sty environment.
- —Cross-referencing listings does not seem to work in HTML output.

Alternatively, we can use the existing lstlisting environment for Julia code using the julia language option. This is the same environment that is used for Julia code in the existing LaTeX template. Under the hood, this uses a lua filter to convert the code to LaTeX. The code creates Figure 2 which can be cross-referenced as @fig-2.

```
using Plots
x = -3.0:0.01:3.0
y = cumsum(rand(length(x)))
plot(x, y)
```



i Current Limitations

I don't know how to cross-reference the code itself.

3.2 Static Listings

The special environment that is already defined for Julia code is still compatible with this template.

```
\begin{lstlisting}[
    language = Julia,
    numbers=left,
    label={lst:exmplg},
    caption={Example Code Block.}
]
using Plots
```

```
x = -3.0:0.01:3.0
y = rand(length(x))
plot(x, y)
\end{lstlisting}
```

Code 1: Example Code Block.

```
using Plots
x = -3.0:0.01:3.0
y = rand(length(x))
plot(x, y)
```

4. Tables

1 2

3

4

5

As with code, there are various options to present tables. Using standard Markdown syntax is the most flexible option because it is compatible with various output formats. Alternatively, standard LaTeX syntax can be used.

4.1 Markdown Tables

Markdown tables are rendered to LaTeX using the booktabs package. This is the recommended way to create tables because it is com-

Table 2. : This is a table caption. (a)

(4)						
Age	Frequency					
18-25	15					
26-35	33					
36-45	22					

patible with various output formats. Tables can be cross-referenced as @tbl-1 which renders as Table 1.

L	Default	L	Left	Ι	Right	Center	: 1
ŀ		1:	:	- -	:	:	:1
L	12	L	12	T	12	12	
L	123	L	123	Τ	123	123	
L	1	L	1	Τ	1	1	

: Demonstration of pipe table syntax {#tbl-1}

Table 1. : Demonstration of pipe table syntax

Default	Left	Right	Center
12	12	12	12
123	123	123	123
1	1	1	1

i Current Limitations

This seems to currently mess with executable listing (Section 3.1).

4.2 LaTeX Tables

Standard LaTeX syntax can also be used to create tables. To use standard Quarto cross-referencing, the LaTeX syntax needs to be wrapped in a div with the tbl class. The table caption can be added as a paragraph. The following creates Table 2 which can be cross-referenced as @tbl-2.

::: {#tbl-2}

```
\begin{tabular}{||||}\hline
Age & Frequency \\ hline
18--25 & 15 \\
26--35 & 33 \\
36--45 & 22 \\ hline
\end{tabular}
```

This is a table caption.

:::

5. Citations

This @altmeyer2023endogenous renders the citation as Altmeyer et al. [1]. The bibliography is defined in bibliography.bib.

References

[1] Patrick Altmeyer et al. "Endogenous Macrodynamics in Algorithmic Recourse". In: *First IEEE Conference on Secure and Trustworthy Machine Learning*. 2023. DOI: 10.1109/satml545 75.2023.00036.